

CBC DISTILATE

Sample ID: Batch:

Type: Raw Material

Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 07/25/2025 Completed: 07/31/2025



Summary

TestCannabinoids

Date Tested 07/31/2025

Status Tested

NDTotal Δ9-THC

98.7 % CBC **99.7** % Total Cannabinoids

Not TestedMoisture Content

Not TestedForeign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA

Analyte	LOD	LOQ	Result	Result
	(%)	(%)	(%)	(mg/g)
CBC	0.0095	0.0284	98.7	987
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	0.0480	0.480
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	ND	ND
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	0.933	9.33
Δ8-ΤΗС	0.0104	0.0312	ND	ND
Δ9-ΤΗС	0.0076	0.0227	ND	ND
Δ9-ΤΗСΑ	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-ΤΗСVΑ	0.0062	0.0186	ND	ND
Total Δ9-TH			ND	ND
Total			99.7	997

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone Commercial Director Date: 08/01/2025 Tested By: Nicholas Howard Scientist Date: 07/31/2025





ISO/IEC 17025:2017 Accredited Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories CCA Laboratories can provide measurement uncertainty upon request.