PSI LABS
PSI Labs California
181 W. Huntington Dr.
Monrovia, CA 91016
(855) 734-6640
/www.psilabs.org/
Lic# C8-0000022-LIC

London Chello

Lab ID: 231121-693-QCSC-8

METRC Batch: ; METRC Sample:
Sample ID: 2311PHS1416.4367
Strain: London Chello
Matrix: Plant
Type: Flower - Cured
Sample Size: ; Batch:

Produced:
Collected:
Received: 11/27/2023
Completed: 11/27/2023
Batch#:

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	11/22/2023	Pass
Heavy Metals	11/22/2023	Pass

Cannabinoids

Pass

18.423%	ND	19.152%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
THCa	0.01	0.01	20.685	206.85
Δ9-THC	0.01	0.01	0.282	2.82
Δ8-THC	0.01	0.01	ND	ND
THCVa	0.01	0.10	0.052	0.52
THCV	0.01	0.10	ND	ND
CBDa	0.01	0.01	ND	ND
CBD	0.01	0.01	ND	ND
CBDVa	0.01	0.10	ND	ND
CBDV	0.01	0.10	ND	ND
CBN	0.01	0.10	ND	ND
CBGa	0.01	0.10	0.779	7.79
CBG	0.01	0.10	ND	ND
CBC	0.01	0.10	ND	ND
(6aR,9S)-d10-THC	0.01	0.01	ND	ND
(6aR,9R)-d10-THC	0.01	0.01	ND	ND
Total THC			**18.423**	**184.230**
Total CBD			**ND**	**ND**
Total			**21.798**	**217.98**

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717

Raquel Keledjian
Lab Director
11/27/2023

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian