PSI Labs California 181 W. Huntington Dr. Monrovia, CA 91016

(855) 734-6640 /www.psilabs.org/ Lic# C8-0000022-LIC

Summary

Date Tested

10/10/2023

Test

Batch Cannabinoids Result Pass

Pass

GELATOX

Lab ID: 231010-678-TL-3 METRC Batch: ; METRC Sample: Sample ID: 2310PHS1256.3622 Strain: Gelatox Matrix: Plant Type: Flower - Cured Sample Size: ; Batch:

E PSI LABS

Produced: Collected: Received: Completed: 10/10/2023 Batch#:



Cannabinoids

19.229%		ND		20.525%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	%	mg/g	
THCa	0.01	0.01	21.744	217.44	
Δ9-THC	0.01	0.01	0.160	1.60	
Δ8-THC	0.01	0.01	ND	ND	
THCVa	0.01	0.10	0.850	8.50	
THCV	0.01	0.10	ND	ND	
CBDa	0.01	0.01	ND	ND	
CBD	0.01	0.01	ND	ND	
CBDVa	0.01	0.10	ND	ND	
CBDV	0.01	0.10	ND	ND	
CBN	0.01	0.10	ND	ND	
CBGa	0.01	0.10	0.627	6.27	
CBG	0.01	0.10	ND	ND	
CBC	0.01	0.10	ND	ND	
(6aR,9S)-d10-THC	0.01	0.01	ND	ND	
(6aR,9R)-d10-THC	0.01	0.01	ND	ND	
Total THC	0.01	0.01	19.229	192.290	
Total CBD			ND	ND	
Total			23.381	233.81	

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



Rkeled

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Raquel Keledjian Lab Director 10/10/2023

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Pass