

Coast THCA 2pk One Night Stand

Sample ID: HR20241090861

Strain: Coast THCA 2pk One Night Stand

Matrix: Plant

Type: Preroll

Sample Size: ; Batch:

Produced:

Collected: 10/22/2024

Received: 10/22/2024

Completed: 10/25/2024

Batch#:

Client

Agrowth Inc

Lic. #

1271 Washington Ave #823

San Leandro, CA 94577



Summary

Test

Batch

Cannabinoids

Moisture

Date Tested

10/22/2024

10/23/2024

Result

Complete

Complete

10.93%

Cannabinoids

Complete

17.71%

Total THC

9.43%

Total CBD

27.61%

Total Cannabinoids

Analyte	LOD mg/g	LOQ mg/g	Mass %	Mass mg/g	Mass mg/unit	Mass mg/serving
THCa	0.20000	0.61000	19.88	198.78		
Δ9-THC	0.15000	0.45000	0.28	2.76		
Δ8-THC	0.14000	0.42000	ND	ND		
THCV	0.15000	0.44000	ND	ND		
CBDa	0.10000	0.31000	6.62	66.18		
CBD	0.15000	0.45000	3.63	36.31		
CBN	0.16000	0.50000	ND	ND		
CBG	0.13000	0.39000	0.19	1.91		
CBC	0.14000	0.42000	0.27	2.73		
Total THC			17.71	177.09	0.00	0.00
Total CBD			9.43	94.35		
Total			27.61	276.08	0.00	0.00

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming Li

Ming Li - General Manager
10/25/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.