

CBD BROAD SPECTRUM DISTILLATE

 Sample ID:
 Batch:
 Type: Raw Material
 Matrix: Concentrate - Distillate
 Unit Mass (g):

 Received: 11/13/2025
 Completed: 11/14/2025

Client


Summary

 Test
 Cannabinoids

 Date Tested
 11/14/2025

 Status
 Tested

0.0984 % Total Δ9-THC	76.7 % CBD	89.9 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
---------------------------------	----------------------	-------------------------------------	---------------------------------------	-------------------------------------	--

Cannabinoids by HPLC-PDA

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	76.7	767
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	1.65	16.5
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	10.9	109
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.565	5.65
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ9-THC	0.0076	0.0227	0.0984	0.984
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
Total Δ9-THC			0.0984	0.984
Total			89.9	899

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = (Spike) Not Recoverable; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



 Generated By: Alex Morris
 Quality Manager
 Date: 11/14/2025



 Tested By: Nicholas Howard
 Scientist
 Date: 11/14/2025

 ISO/IEC 17025:2017 Accredited
 Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories and its affiliates do not warrant the accuracy of the results of tests performed on samples not submitted to KCA Laboratories for testing. This Certificate of Analysis is valid only for the sample tested.