

Sample Name:

Tested for:

Report cannot be used for OHA/OLCC compliance.

Laboratory ID:

Matrix: Extracts and Concentrates

Sample Metrc ID:

Lot # N/A

Batch RFID: N/A

Batch Size: N/A

Harvest Date: N/A

License:


Date Sampled: 07/02/25 01:40


Date Accepted: 07/02/25



Result Summary

ANALYSIS	VALUE	PASS/FAIL
Total Cannabinoids	77.66 %	
Total CBD	70.26 %	
Total THC	1.55 %	
Pesticides		PASS
Mycotoxins		PASS
Microbiological		PASS
Metals		PASS
Residual Solvent Analy		PASS




 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **CBD Crude**

Tested for:

Report cannot be used for OHA/OLCC compliance.

Laboratory ID:

Matrix: Extracts and Concentrates

Sample Metric ID:

Lot # N/A

Batch RFID: N/A

Batch Size: N/A

Harvest Date: N/A

License:

Date Sampled: 07/02/25 01:40

Date Accepted: 07/02/25




Potency Analysis

Date Extracted: 07/07/25

Analysis Method: UNODC 5.4.8


Date Analyzed: 07/07/25

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total CBD ((CBDA*0.877)+CBD)	70.26	702.6	0.08	
Total THC ((THCA*0.877)+d9)	1.55	15.5	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	1.55	15.5	0.08	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.08	
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.08	
CBD (Cannabidiol)*	69.99	699.9	0.08	
CBDA (Cannabidiolic Acid)*	0.31	3.1	0.08	
CBN (Cannabinol)	0.47	4.7	0.08	
CBG (Cannabigerol)	2.56	25.6	0.08	
CBGA (Cannabigerolic Acid)	< LOQ	< LOQ	0.08	
CBDV (Cannabidivarin)	0.36	3.6	0.08	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.08	
CBC (Cannabichromene)	2.42	24.2	0.17	
CBCA (Cannabichromenic Acid)	< LOQ	< LOQ	0.08	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.08	
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	< LOQ	0.08	
Total Cannabinoids	77.66	776.6	0.08	

THC	1.55
CBD	69.99
CBDA	0.31
CBN	0.47
CBG	2.56
CBDV	0.36
CBC	2.42
Total:	77.66

<LOQ - Results below the Limit of Quantitation


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name:

Tested for:

License:

Date Sampled: 07/02/25 01:40

Date Accepted: 07/02/25

Report cannot be used for OHA/OLCC compliance.

Laboratory ID:

Sample Metric ID:

Matrix: Extracts and Concentrates

Batch RFID: N/A

Lot # N/A

Batch Size: N/A

Pesticide Analysis in ppm

Date Extracted: 07/03/25


Analysis Method: SC-OR-ORG-003

Date Analyzed: 07/08/25

Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.241	Acephate	< LOQ	0.4	0.024
Acequinocyl	< LOQ	2	0.024	Acetamiprid	< LOQ	0.2	0.024
Aldicarb	< LOQ	0.4	0.048	Azoxystrobin	< LOQ	0.2	0.024
Bifenazate	< LOQ	0.2	0.024	Bifenthrin	< LOQ	0.2	0.058
Boscalid	0.065	0.4	0.024	Carbaryl	< LOQ	0.2	0.024
Carbofuran	< LOQ	0.2	0.024	Chlorantraniliprole	< LOQ	0.2	0.024
Chlorfenapyr	< LOQ	1	0.482	Chlorpyrifos	0.112	0.2	0.024
Clofentezine	< LOQ	0.2	0.024	Cyfluthrin	< LOQ	1	0.386
Cypermethrin	< LOQ	1	0.193	Daminozide	< LOQ	1	0.096
DDVP (Dichlorvos)	< LOQ	1	0.024	Diazinon	< LOQ	0.2	0.024
Dimethoate	< LOQ	0.2	0.024	Ethoprophos	< LOQ	0.2	0.024
Etofenprox	< LOQ	0.4	0.024	Etoxazole	< LOQ	0.2	0.024
Fenoxycarb	< LOQ	0.2	0.024	Fenpyroximate	< LOQ	0.4	0.024
Fipronil	< LOQ	0.4	0.048	Flonicamid	< LOQ	1	0.024
Fludioxonil	< LOQ	0.4	0.096	Hexythiazox	< LOQ	1	0.024
Imazalil	< LOQ	0.2	0.024	Imidacloprid	< LOQ	0.4	0.024
Kresoxim-methyl	< LOQ	0.4	0.024	Malathion	0.043	0.2	0.024
Metalaxyl	< LOQ	0.2	0.024	Methiocarb	< LOQ	0.2	0.024
Methomyl	< LOQ	0.4	0.048	Methyl parathion	< LOQ	0.2	0.096
MGK-264	< LOQ	0.2	0.024	Myclobutanil	< LOQ	0.2	0.024
Naled	< LOQ	0.5	0.048	Oxamyl	< LOQ	1	0.024
Paclobutrazol	< LOQ	0.4	0.024	Permethrins (total)	< LOQ	0.2	0.096
Phosmet	< LOQ	0.2	0.024	Piperonyl butoxide	< LOQ	2	0.024
Prallethrin	< LOQ	0.2	0.048	Propiconazole	< LOQ	0.4	0.193
Propoxur	< LOQ	0.2	0.024	Pyrethrins (total)	< LOQ	1	0.482
Pyridaben	< LOQ	0.2	0.024	Spinosad	< LOQ	0.2	0.020
Spiromesifen	< LOQ	0.2	0.024	Spirotetramat	< LOQ	0.2	0.048
Spiroxamine	< LOQ	0.4	0.013	Tebuconazole	< LOQ	0.4	0.024
Thiacloprid	< LOQ	0.2	0.024	Thiamethoxam	< LOQ	0.2	0.024
Trifloxystrobin	< LOQ	0.2	0.024				

<LOQ - Results below the Limit of Quantitation


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name:

Tested for:

Report cannot be used for OLCC compliance

Laboratory ID:

Matrix: Extracts and Concentrates

Lot # N/A

License:

Date Sampled: 07/02/25 01:40

Date Accepted: 07/02/25

Sample Metric ID:

Batch RFID: N/A

Batch Size: N/A

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	177
2-Butanol	< LOQ	5000	2330
2-Ethoxyethanol	< LOQ	160	74.5
2-Propanol (IPA)	< LOQ	5000	2330
Acetone	< LOQ	5000	2330
Acetonitrile	< LOQ	410	191
Benzene	< LOQ	2	0.931
Butanes	< LOQ	5000	2330
Cyclohexane	< LOQ	3880	1810
Dichloromethane (methylene chloride)	< LOQ	600	279
Ethyl acetate	< LOQ	5000	2330
Ethyl ether	< LOQ	5000	2330
Ethylbenzene	< LOQ	2170	1010
Ethylene glycol	< LOQ	620	289
Ethylene oxide	< LOQ	50	23.3
Heptane	< LOQ	5000	2330
Hexanes	< LOQ	290	135
Isopropyl acetate	< LOQ	5000	2330
Isopropylbenzene (cumene)	< LOQ	70	32.6
Methanol	< LOQ	3000	1400
Pentanes	< LOQ	5000	2330
Propane	< LOQ	5000	2330
Tetrahydrofuran	< LOQ	720	335
Toluene	< LOQ	890	414
Xylenes	< LOQ	2170	1010


Date Extracted: 07/03/25

Date Analyzed: 07/04/25

Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted Red #.


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **CBD Crude**

Tested for:

License:

Date Sampled: 07/02/25 01:40

Date Accepted: 07/02/25

Report cannot be used for OHA/OLCC compliance.

Laboratory ID:

Sample Metric ID:

Matrix: Extracts and Concentrates

Batch RFID: N/A

Lot # N/A

Batch Size: N/A

Mycotoxin Analysis by LCMSMS


Date/Time Extracted: 07/03/25 18:28

Analysis Method/SOP: SC-OR-ORG-003

Date/Time Analyzed: 07/08/25

Results above the action levels are highlighted in red #.

Analyte	Result	LOQ	Units	Action Level
Aflatoxin B1	< LOQ	0.005	ppm	0.02
Aflatoxin B2	< LOQ	0.005	ppm	0.02
Aflatoxin G1	< LOQ	0.005	ppm	0.02
Aflatoxin G2	< LOQ	0.005	ppm	0.02
Aflatoxins (Total)	< LOQ	0.005	ppm	0.02
Ochratoxin A	< LOQ	0.010	ppm	0.02



Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **CBD Crude**

Tested for:

License:

Date Sampled: 07/02/25 01:40

Date Accepted: 07/02/25

Report cannot be used for OHA/OLCC compliance.

Laboratory ID:

Sample Metric ID:

Matrix: Extracts and Concentrates

Batch RFID: N/A

Lot # N/A

Batch Size: N/A

Microbiological Analysis by qPCR


Date/Time Extracted: 07/07/25 10:51

Analysis Method/SOP: PathoSEEK qPCR

Date/Time Analyzed: 07/08/25

Results above the action levels are highlighted in red #.

Analyte	Result (Present/Absent)
Salmonella	Absent
Shiga toxin producing E. Coli (STEC)	Absent



Justin Miller For Breeanna Hamilton
Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Analytical Results

SC Laboratories Oregon LLC
ORELAP# 4133/OLCC# 1018619A26E
15865 SW 74th Ave Suite 110, Tigard, OR
503-272-8830
www.sclabs.com

Sample Name:

Tested for:

Report cannot be used for OHA/OLCC compliance.

Laboratory ID:

Matrix: Extracts and Concentrates

Lot # N/A

License:

Date Sampled: 07/02/25 01:40

Date Accepted: 07/02/25

Sample Metric ID:

Batch RFID: N/A

Batch Size: N/A

Metals Analysis by ICPMS

Date/Time Extracted: 07/07/25 12:29

Analysis Method/SOP: AOAC 2013.06

Date/Time Analyzed: 07/08/25

Results above the action levels are highlighted in red #.

Analyte	Result	LOQ	Units	Action Level
Arsenic (As)	< LOQ	0.098	ug/g	0.2
Cadmium (Cd)	< LOQ	0.098	ug/g	0.2
Lead (Pb)	< LOQ	0.098	ug/g	0.5
Mercury (Hg)	< LOQ	0.049	ug/g	0.1

Justin Miller For Breeanna Hamilton
Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Residual Solvent - Multiple analytes were above normally accepted recovery criteria in the Blank Spike, Matrix Spike, and Matrix Spike Duplicate. Results met RPD requirements. Analytes were below the reporting limit in all client samples.

Potency - d8 exceeded normally accepted RPD criteria in the Sample Duplicate due to high variations in low values.


Metals - Mercury result was above QC criteria in the Method Blank and Blank Spike. Analyte was below the reporting limit in all client samples.

Quality Control Potency

Batch:

Blank(B251983-BLK1)			Extracted - 07/07/25 17:27 Analyzed - 07/07/25 20:40					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
CBCA (Cannabichromenic Acid)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%						

Duplicate(B251983-DUP1)			Extracted - 07/07/25 17:27 Analyzed - 07/07/25 20:49					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	70.74	%		74.08			4.62	20
d8-THC (d8-Tetrahydrocannabinol)	0.08	%		0.10			24.0	20
THCA (d9-Tetrahydrocannabinolic Acid)	4.01	%		4.15			3.61	20
CBD (Cannabidiol)	0.10	%		0.10			2.01	20
CBDA (Cannabidiolic Acid)	0.07	%		0.07			1.03	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	1.16	%		1.22			4.44	20


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)

Batch:


Duplicate(B251983-DUP1)			Extracted - 07/07/25 17:27		Analyzed - 07/07/25 20:49			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
CBGA (Cannabigerolic Acid)	0.85	%		0.88			4.14	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	0.68	%		0.69			1.09	20
CBCA (Cannabichromenic Acid)	0.34	%		0.35			4.36	20
THCV (Tetrahydrocannabivarin)	0.40	%		0.41			4.39	20
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%		< LOQ				20

LCS(B251983-BS1)			Extracted - 07/07/25 17:27		Analyzed - 07/07/25 20:05			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.44	%	0.426		103	90-110		
d8-THC (d8-Tetrahydrocannabinol)	0.44	%	0.454		97.4	90-110		
THCA (d9-Tetrahydrocannabinolic Acid)	0.54	%	0.514		104	90-110		
CBD (Cannabidiol)	0.50	%	0.477		106	90-110		
CBDA (Cannabidiolic Acid)	0.51	%	0.484		106	90-110		
CBN (Cannabinol)	0.008	%				80-120		
CBG (Cannabigerol)	0.02	%				80-120		
CBGA (Cannabigerolic Acid)	0.01	%				80-120		
CBDV (Cannabidivarin)	0.01	%				80-120		
CBDVA (Cannabidivarinic Acid)	0.005	%				80-120		
CBC (Cannabichromene)	< LOQ	%				80-120		
CBCA (Cannabichromenic Acid)	< LOQ	%				80-120		
THCV (Tetrahydrocannabivarin)	< LOQ	%				80-120		
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%				80-120		

Solvent Analysis

Batch:

Blank(B251982-BLK1)			Extracted - 07/03/25 16:00		Analyzed - 07/03/25 21:17			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Solvent Analysis (Continued)

Batch:

Blank(B251982-BLK1)			Extracted - 07/03/25 16:00 Analyzed - 07/03/25 21:17					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B251982-BS1)			Extracted - 07/03/25 16:00 Analyzed - 07/03/25 20:14					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	580	ug/g	570		102	60-120		
2,2-Dimethylbutane	449	ug/g	435		103	60-120		
2,2-Dimethylpropane (neopentane)	3680	ug/g	3120		118	60-120		
2-Butanol	3920	ug/g	3500		112	60-120		
2-Ethoxyethanol	409	ug/g	240		170	60-120		
2-Methylbutane (isopentane)	4060	ug/g	3500		116	60-120		
2-Methylpentane/2,3-Dimethylbutane	804	ug/g	870		92.4	60-120		
2-Methylpropane (isobutane)	3910	ug/g	3120		125	60-120		
2-Propanol (IPA)	4050	ug/g	3480		117	60-120		
3-Methylpentane	444	ug/g	435		102	60-120		
Acetone	4110	ug/g	3500		117	60-120		


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Solvent Analysis (Continued)

Batch:

LCS(B251982-BS1)			Extracted - 07/03/25 16:00		Analyzed - 07/03/25 20:14			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Acetonitrile	699	ug/g	615		114	60-120		
Benzene	2.89	ug/g	3.00		96.4	60-120		
Cyclohexane	6340	ug/g	5820		109	60-120		
Dichloromethane (methylene chloride)	920	ug/g	900		102	60-120		
Ethyl acetate	3920	ug/g	3500		112	60-120		
Ethyl ether	3800	ug/g	3500		108	60-120		
Ethylbenzene	3250	ug/g	3250		100	60-120		
Ethylene glycol	1790	ug/g	930		193	60-120		
Ethylene oxide	388	ug/g	375		103	60-120		
Heptane	3990	ug/g	3420		116	60-120		
Isopropyl acetate	3930	ug/g	3500		112	60-120		
Isopropylbenzene (cumene)	124	ug/g	105		118	60-120		
m,p-Xylene	6560	ug/g	6380		103	60-120		
Methanol	2740	ug/g	2450		112	60-120		
n-Butane	3930	ug/g	3120		126	60-120		
n-Hexane	441	ug/g	371		119	60-120		
n-Pentane	4100	ug/g	3420		120	60-120		
Propane	1280	ug/g	1250		103	60-120		
Tetrahydrofuran	1170	ug/g	1060		111	60-120		
Toluene	1320	ug/g	1310		101	60-120		
o-Xylene	3220	ug/g	3190		101	60-120		

Matrix Spike(B251982-MS1)			Extracted - 07/03/25 16:00		Analyzed - 07/03/25 20:35			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	555	ug/g	544	< LOQ	102	71-131		
2,2-Dimethylbutane	434	ug/g	415	< LOQ	105	70-130		
2,2-Dimethylpropane (neopentane)	3560	ug/g	2980	< LOQ	119	65-168		
2-Butanol	3820	ug/g	3340	< LOQ	114	71-133		
2-Ethoxyethanol	401	ug/g	229	< LOQ	175	68-126		
2-Methylbutane (isopentane)	3990	ug/g	3340	< LOQ	120	68-141		
2-Methylpentane/2,3-Dimethylbutane	781	ug/g	831	< LOQ	94.1	71-133		
2-Methylpropane (isobutane)	3790	ug/g	2980	< LOQ	127	46-179		
2-Propanol (IPA)	3950	ug/g	3320	< LOQ	119	74-138		
3-Methylpentane	431	ug/g	415	< LOQ	104	69-129		
Acetone	3970	ug/g	3340	< LOQ	119	76-142		


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Solvent Analysis (Continued)

Batch:

Matrix Spike(B251982-MS1)			Extracted - 07/03/25 16:00 Analyzed - 07/03/25 20:35					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Acetonitrile	683	ug/g	587	< LOQ	116	72-134		
Benzene	3.00	ug/g	2.86	< LOQ	105	64-130		
Cyclohexane	6110	ug/g	5560	< LOQ	110	78-144		
Dichloromethane (methylene chloride)	901	ug/g	859	< LOQ	105	71-131		
Ethyl acetate	3790	ug/g	3340	< LOQ	113	75-139		
Ethyl ether	3650	ug/g	3340	< LOQ	109	81-141		
Ethylbenzene	3090	ug/g	3100	< LOQ	99.6	73-135		
Ethylene glycol	1790	ug/g	888	< LOQ	201	44-113		
Ethylene oxide	377	ug/g	358	< LOQ	105	63-142		
Heptane	3880	ug/g	3270	< LOQ	119	76-140		
Isopropyl acetate	3780	ug/g	3340	< LOQ	113	76-140		
Isopropylbenzene (cumene)	164	ug/g	100	< LOQ	163	61-200		
m,p-Xylene	6340	ug/g	6090	< LOQ	104	74-138		
Methanol	2680	ug/g	2340	35.1	113	73-135		
n-Butane	3840	ug/g	2980	< LOQ	129	32-176		
n-Hexane	429	ug/g	354	< LOQ	121	69-127		
n-Pentane	4020	ug/g	3270	< LOQ	123	71-140		
Propane	1250	ug/g	1190	< LOQ	105	45-152		
Tetrahydrofuran	1110	ug/g	1010	< LOQ	110	74-137		
Toluene	1260	ug/g	1250	< LOQ	100	71-131		
o-Xylene	3080	ug/g	3040	< LOQ	101	72-134		

Matrix Spike Dup(B251982-MSD1)			Extracted - 07/03/25 16:00 Analyzed - 07/03/25					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	520	ug/g	512	< LOQ	102	71-131	6.47	25
2,2-Dimethylbutane	413	ug/g	391	< LOQ	106	70-130	5.01	25
2,2-Dimethylpropane (neopentane)	3370	ug/g	2810	< LOQ	120	65-168	5.54	25
2-Butanol	3610	ug/g	3140	< LOQ	115	71-133	5.62	25
2-Ethoxyethanol	378	ug/g	215	< LOQ	175	68-126	6.10	25
2-Methylbutane (isopentane)	3810	ug/g	3140	< LOQ	121	68-141	4.60	25
2-Methylpentane/2,3-Dimethylbutane	735	ug/g	781	< LOQ	94.1	71-133	6.08	25
2-Methylpropane (isobutane)	3620	ug/g	2810	< LOQ	129	46-179	4.67	25
2-Propanol (IPA)	3750	ug/g	3120	< LOQ	120	74-138	5.22	25
3-Methylpentane	406	ug/g	391	< LOQ	104	69-129	5.98	25
Acetone	3780	ug/g	3140	< LOQ	120	76-142	5.00	25


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch:


Matrix Spike Dup(B251982-MSD1)			Extracted - 07/03/25 16:00		Analyzed - 07/03/25			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Acetonitrile	645	ug/g	552	< LOQ	117	72-134	5.78	25
Benzene	2.84	ug/g	2.69	< LOQ	105	64-130	5.60	50
Cyclohexane	5760	ug/g	5230	< LOQ	110	78-144	5.87	25
Dichloromethane (methylene chloride)	850	ug/g	808	< LOQ	105	71-131	5.83	25
Ethyl acetate	3580	ug/g	3140	< LOQ	114	75-139	5.71	25
Ethyl ether	3450	ug/g	3140	< LOQ	110	81-141	5.61	25
Ethylbenzene	2860	ug/g	2920	< LOQ	98.0	73-135	7.72	25
Ethylene glycol	1640	ug/g	835	< LOQ	197	44-113	8.42	50
Ethylene oxide	353	ug/g	337	< LOQ	105	63-142	6.46	25
Heptane	3650	ug/g	3080	< LOQ	119	76-140	6.16	25
Isopropyl acetate	3570	ug/g	3140	< LOQ	113	76-140	5.89	25
Isopropylbenzene (cumene)	152	ug/g	94.3	< LOQ	162	61-200	7.25	25
m,p-Xylene	5880	ug/g	5720	< LOQ	103	74-138	7.61	25
Methanol	2540	ug/g	2200	35.1	114	73-135	5.41	25
n-Butane	3650	ug/g	2810	< LOQ	130	32-176	4.98	25
n-Hexane	401	ug/g	333	< LOQ	120	69-127	6.66	25
n-Pentane	3800	ug/g	3080	< LOQ	124	71-140	5.49	25
Propane	1160	ug/g	1120	< LOQ	104	45-152	7.10	50
Tetrahydrofuran	1050	ug/g	951	< LOQ	110	74-137	6.27	25
Toluene	1180	ug/g	1180	< LOQ	100	71-131	6.15	25
o-Xylene	2870	ug/g	2860	< LOQ	100	72-134	7.15	25

Microbiological Analysis

Batch:

Blank(B251981-BLK1)			Extracted - 07/07/25 10:51		Analyzed - 07/08/25 0:00			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Salmonella	Absent	Cq						
Shiga toxin producing E. Coli (STEC)	Absent	Cq						

LCS(B251981-BS1)			Extracted - 07/07/25 10:51		Analyzed - 07/08/25 0:00			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Salmonella	Present	Cq	10.0		177	5-400		
Shiga toxin producing E. Coli (STEC)	Present	Cq	10.0		144	5-400		


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Mycotoxin Analysis (Continued)

Batch:

Blank(B251986-BLK1)			Extracted - 07/03/25 18:28 Analyzed - 07/07/25 21:09					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	< LOQ	ppm						
Aflatoxin G2	< LOQ	ppm						
Aflatoxin G1	< LOQ	ppm						
Aflatoxin B2	< LOQ	ppm						
Aflatoxin B1	< LOQ	ppm						
Aflatoxins (Total)	< LOQ	ppm						


LCS(B251986-BS1)			Extracted - 07/03/25 18:28 Analyzed - 07/07/25 21:25					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	0.21	ppm	0.200		104	60-120		
Aflatoxin G2	0.08	ppm	0.100		77.4	60-120		
Aflatoxin G1	0.08	ppm	0.100		80.6	60-120		
Aflatoxin B2	0.07	ppm	0.100		73.7	60-120		
Aflatoxin B1	0.08	ppm	0.100		76.6	60-120		

Matrix Spike(B251986-MS1)			Extracted - 07/03/25 18:28 Analyzed - 07/07/25 21:41					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	0.19	ppm	0.186	< LOQ	103	30-200		
Aflatoxin G2	0.08	ppm	0.0930	< LOQ	83.3	30-200		
Aflatoxin G1	0.08	ppm	0.0930	< LOQ	89.1	30-200		
Aflatoxin B2	0.07	ppm	0.0930	< LOQ	76.8	30-200		
Aflatoxin B1	0.07	ppm	0.0930	< LOQ	78.7	30-200		

Matrix Spike Dup(B251986-MSD1)			Extracted - 07/03/25 18:28 Analyzed - 07/07/25					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	0.19	ppm	0.191	< LOQ	100	30-200	2.21	30
Aflatoxin G2	0.07	ppm	0.0956	< LOQ	70.5	30-200	16.7	30
Aflatoxin G1	0.08	ppm	0.0956	< LOQ	86.4	30-200	3.08	30
Aflatoxin B2	0.07	ppm	0.0956	< LOQ	72.2	30-200	6.10	30
Aflatoxin B1	0.08	ppm	0.0956	< LOQ	81.5	30-200	3.52	30

Batch:

Blank(B251987-BLK1)			Extracted - 07/07/25 12:29 Analyzed - 07/08/25 12:08					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Metals Analysis (Continued)


Batch:

Blank(B251987-BLK1)			Extracted - 07/07/25 12:29 Analyzed - 07/08/25 12:08					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	< LOQ	ug/g						
Arsenic (As)	< LOQ	ug/g						
Cadmium (Cd)	< LOQ	ug/g						
Lead (Pb)	< LOQ	ug/g						

LCS(B251987-BS1)			Extracted - 07/07/25 12:29 Analyzed - 07/08/25 12:11					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	0.053	ug/g	0.0400		133	80-115		
Arsenic (As)	0.421	ug/g	0.400		105	80-115		
Cadmium (Cd)	0.403	ug/g	0.400		101	80-115		
Lead (Pb)	0.396	ug/g	0.400		98.9	80-115		

Matrix Spike(B251987-MS1)			Extracted - 07/07/25 12:29 Analyzed - 07/08/25 12:14					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	0.046	ug/g	0.0396	0.003	109	70-130		
Arsenic (As)	0.498	ug/g	0.396	< LOQ	126	70-130		
Cadmium (Cd)	0.389	ug/g	0.396	< LOQ	98.2	70-130		
Lead (Pb)	0.395	ug/g	0.396	< LOQ	99.6	70-130		

Matrix Spike Dup(B251987-MSD1)			Extracted - 07/07/25 12:29 Analyzed - 07/08/25					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	0.042	ug/g	0.0362	0.003	109	70-130	8.65	30
Arsenic (As)	0.466	ug/g	0.362	< LOQ	129	70-130	6.71	30
Cadmium (Cd)	0.356	ug/g	0.362	< LOQ	98.3	70-130	8.87	30
Lead (Pb)	0.367	ug/g	0.362	< LOQ	101	70-130	7.31	30


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.