

Certificate of Analysis

Compliance Test

Client Information:

Batch #
Batch Date: 2023-07-12
Extracted From: Industrial Hemp

Test Reg State: Florida

Order Date: 2023-07-14
Sample #

Sampling Date: 2023-07-14
Lab Batch Date: 2023-07-14
Completion Date: 2023-07-17

Initial Gross Weight: 17.174 g



Product Image



**Potency
Tested**



**Residual Solvents
Passed**



Potency 10

Specimen Weight: 58.800 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
CBG	100.000	2.48E-4	0.0015	995.270	99.527
CBD	100.000	5.40E-5	0.0015	4.630	0.463
CBC	100.000	1.80E-5	0.0015	<LOQ	<LOQ
CBDA	100.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	100.000	6.50E-5	0.0015	<LOQ	<LOQ
CBGA	100.000	8.00E-5	0.0015	<LOQ	<LOQ
CBN	100.000	1.40E-5	0.0015	<LOQ	<LOQ
Delta-9 THC	100.000	1.30E-5	0.0015	<LOQ	<LOQ
THCA-A	100.000	3.20E-5	0.0015	<LOQ	<LOQ
THCV	100.000	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD	100.000			4.626	0.463
Total Active THC	100.000			<LOQ	<LOQ



Potency Summary

Total Active THC None Detected	Total Active CBD 0.463%
Total CBG 99.527%	Total CBN None Detected
Other Cannabinoids None Detected	Total Cannabinoids 99.990%


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

Certificate of Analysis

Compliance Test

Client Information:

Batch #
Batch Date:
Extracted From: Industrial Hemp

Test Reg State: Florida

Order Date:
Sample #

Sampling Date: 2023-07-14
Lab Batch Date: 2023-07-14
Completion Date: 2023-07-17

Initial Gross Weight: 17.174 g

Residual Solvents - FL (CBD)

Specimen Weight: 304.600 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 500.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	ND	Heptane	0.0013	1.39	5000	224.132
1,2-Dichloroethane	0.0003	0.04	5	ND	Hexane	0.068	1.17	290	ND
Acetone	0.015	2.08	5000	ND	Isopropyl alcohol	0.0048	1.39	500	ND
Acetonitrile	0.06	1.17	410	ND	Methanol	0.0005	0.69	3000	ND
Benzene	0.0002	0.02	2	ND	Methylene chloride	0.0029	2.43	600	ND
Butanes	0.4167	2.5	2000	ND	Pentane	0.037	2.08	5000	ND
Chloroform	0.0001	0.04	60	ND	Propane	0.031	5.83	2100	ND
Ethanol	0.0021	2.78	5000	ND	Toluene	0.0009	2.92	890	ND
Ethyl Acetate	0.0012	1.11	5000	ND	Total Xylenes	0.0001	2.92	2170	ND
Ethyl Ether	0.0049	1.39	5000	ND	Trichloroethylene	0.0014	0.49	80	ND
Ethylene Oxide	0.0038	0.1	5	ND					


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

