



# Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

1 of 3

ICAL ID:  
Sample:  
CBN Distillate  
Strain: CBN Distillate  
Category: Concentrates & Extracts  
Type: Distillate



Batch#:  
Batch Size Collected:  
Total Batch Size:  
Collected: 12/07/2023; Received: 12/07/2023  
Completed: 12/07/2023

|                                        |                 |                 |                              |                      |
|----------------------------------------|-----------------|-----------------|------------------------------|----------------------|
| Moisture<br>NT<br>Water Activity<br>NT | Total THC<br>ND | Total CBD<br>ND | Total Cannabinoids<br>90.59% | Total Terpenes<br>NT |
|----------------------------------------|-----------------|-----------------|------------------------------|----------------------|

## Summary

SOP Used

Date Tested

|                   |                        |            |          |
|-------------------|------------------------|------------|----------|
| Batch             | POT-PREP-001           | 12/05/2023 | Pass     |
| Cannabinoids      | RS-PREP-001            |            | Complete |
| Residual Solvents | PESTMYCO-LC-PREP-001   | 12/05/2023 | Complete |
| Mycotoxins        | HM-PREP-001            | 12/05/2023 | Pass     |
| Heavy Metals      | FM-PREP-001            | 12/05/2023 | Pass     |
| Foreign Matter    | PESTMYCO-LC-PREP-001 / | 12/05/2023 | Pass     |
| Pesticides        | PEST-GC-PREP-001       |            | Pass     |



## Cannabinoid Profile

| Analyte | LOQ (mg/g) | LOD (mg/g) | %  | mg/g | Analyte   | LOQ (mg/g) | LOD (mg/g) | %     | mg/g   |
|---------|------------|------------|----|------|-----------|------------|------------|-------|--------|
| THCa    | 0.3680     | 0.0924     | ND | ND   | CBGa      | 0.3965     | 0.1322     | ND    | ND     |
| Δ9-THC  | 0.3680     | 0.1024     | ND | ND   | CBG       | 0.3920     | 0.1307     | ND    | ND     |
| Δ8-THC  | 0.3680     | 0.0506     | ND | ND   | CBN       | 0.3680     | 0.0780     | 90.59 | 905.9  |
| THCV    | 0.3680     | 0.0423     | ND | ND   | Total THC |            |            | ND    | ND     |
| CBDa    | 0.3680     | 0.0951     | ND | ND   | Total CBD |            |            | ND    | ND     |
| CBD     | 0.3680     | 0.0815     | ND | ND   | Total     |            |            | 90.59 | 905.86 |
| CBDV    | 0.3680     | 0.0421     | ND | ND   |           |            |            |       |        |
| CBC     | 0.4549     | 0.1516     | ND | ND   |           |            |            |       |        |

Total THC=THCa \* 0.877 + d9-THC + d8-THC; Total CBD = CBDa \* 0.877 + CBD. LOD= Limit of Detection, LOQ= Limit of Quantitation, ND= Not Detected, NR= Not Reported. Potency is reported on a dry weight basis. Instrumentation and analysis SOPs used: Cannabinoids:UHPLC-DAD(POT-INST-005), Moisture:Moisture Analyzer(MOISTURE-001), Water Activity:Water Activity Meter(WA-INST-002), Foreign Material:Microscope(FOREIGN-001). Density measured at 19-24 °C, Water Activity measured at 0-90% RH. All QA submitted by the client, All CA State Compliance sampled using SAMPL-SOP-001.

## Terpene Profile

| Analyte | LOQ (mg/g) | LOD (mg/g) | % | mg/g | Analyte | LOQ (mg/g) | LOD (mg/g) | % | mg/g |
|---------|------------|------------|---|------|---------|------------|------------|---|------|
|---------|------------|------------|---|------|---------|------------|------------|---|------|

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP TERP-INST-003.



Infinite Chemical Analysis Labs  
8312 Miramar Mall  
San Diego, CA  
(858) 623-2740  
www.infiniteCAL.com  
Lic# C8-0000047-LIC

*Josh M Swider*

Josh Swider  
Lab Director, Managing Partner  
12/07/2023

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



# Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

2 of 3

ICAL ID:  
Sample:  
CBN Distillate  
Strain: CBN Distillate  
Category: Concentrates & Extracts  
Type: Distillate



**BULK CBD**  
DISTRIBUTORS

Batch#:  
Batch Size Collected:  
Total Batch Size:  
Collected: 12/07/2023; Received: 12/07/2023  
Completed: 12/07/2023

## Residual Solvent Analysis

| Category 1          |      |        |       |       |        | Category 2    |      |        |        |       |        | Category 2  |      |        |       |       |        |
|---------------------|------|--------|-------|-------|--------|---------------|------|--------|--------|-------|--------|-------------|------|--------|-------|-------|--------|
|                     | µg/g | LOQ    | LOD   | Limit | Status |               | µg/g | LOQ    | LOD    | Limit | Status |             | µg/g | LOQ    | LOD   | Limit | Status |
| 1,2-Dichloro-Ethane | NR   | 0.509  | 0.17  | 1     | NT     | Acetone       | NR   | 51.246 | 17.082 | 5000  | NT     | n-Hexane    | NR   | 0.2807 | 0.066 | 290   | NT     |
| Benzene             | NR   | 0.064  | 0.021 | 1     | NT     | Acetonitrile  | NR   | 0.359  | 0.12   | 410   | NT     | Isopropanol | NR   | 3.8401 | 1.28  | 5000  | NT     |
| Chloroform          | NR   | 0.108  | 0.036 | 1     | NT     | Butane        | NR   | 4.849  | 0.971  | 5000  | NT     | Methanol    | NR   | 8.917  | 2.972 | 3000  | NT     |
| Ethylene Oxide      | NR   | 0.579  | 0.153 | 1     | NT     | Ethanol       | NR   | 7.843  | 2.614  | 5000  | NT     | Pentane     | NR   | 4.271  | 0.962 | 5000  | NT     |
| Methylene-Chloride  | NR   | 0.7288 | 0.127 | 1     | NT     | Ethyl-Acetate | NR   | 2.288  | 0.313  | 5000  | NT     | Propane     | NR   | 13.302 | 4.434 | 5000  | NT     |
| Trichloroethene     | NR   | 0.145  | 0.018 | 1     | NT     | Ethyl-Ether   | NR   | 3.548  | 1.183  | 5000  | NT     | Toluene     | NR   | 0.864  | 0.088 | 890   | NT     |
|                     |      |        |       |       |        | Heptane       | NR   | 2.859  | 0.687  | 5000  | NT     | Xylenes     | NR   | 2.572  | 0.216 | 2170  | NT     |

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP RS-INST-003.

## Heavy Metal Screening

|         | µg/g | LOQ   | LOD   | Limit | Status |
|---------|------|-------|-------|-------|--------|
| Arsenic | ND   | 0.009 | 0.003 | 0.2   | Pass   |
| Cadmium | ND   | 0.002 | 0.001 | 0.2   | Pass   |
| Lead    | ND   | 0.004 | 0.001 | 0.5   | Pass   |
| Mercury | ND   | 0.014 | 0.005 | 0.1   | Pass   |

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: ICP-MS; samples analyzed according to SOP HM-INST-003.

## Microbiological Screening

| Limit | Result | Status |
|-------|--------|--------|
|-------|--------|--------|

ND=Not Detected. Analytical instrumentation used:qPCR; samples analyzed according to SOP MICRO-INST-001.



Infinite Chemical Analysis Labs  
8312 Miramar Mall  
San Diego, CA  
(858) 623-2740  
www.infiniteCAL.com  
Lic# C8-0000047-LIC

*Josh M Swider*

Josh Swider  
Lab Director, Managing Partner  
12/07/2023

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



# Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

3 of 3

ICAL ID:  
Sample:  
CBN Distillate  
Strain: CBN Distillate  
Category: Concentrates & Extracts  
Type: Distillate



**BULK CBD**  
DISTRIBUTORS

Batch#:  
Batch Size Collected:  
Total Batch Size:  
Collected: 12/07/2023; Received: 12/07/2023  
Completed: 12/07/2023

## Chemical Residue Screening

| Category 1       |      | LOQ   | LOD   | Status | Mycotoxins       |       | LOQ   | LOD   | Limit | Status |
|------------------|------|-------|-------|--------|------------------|-------|-------|-------|-------|--------|
|                  | µg/g | µg/g  | µg/g  |        |                  | µg/kg | µg/kg | µg/kg | µg/kg |        |
| Aldicarb         | ND   | 0.030 | 0.008 | Pass   | B1               | ND    | 8.98  | 2.96  |       | Tested |
| Carbofuran       | ND   | 0.030 | 0.005 | Pass   | B2               | ND    | 10.17 | 3.36  |       | Tested |
| Chlordane        | ND   | 0.075 | 0.025 | Pass   | G1               | ND    | 5.25  | 1.73  |       | Tested |
| Chlorfenapyr     | ND   | 0.075 | 0.025 | Pass   | G2               | ND    | 6.26  | 2.07  |       | Tested |
| Chlorpyrifos     | ND   | 0.046 | 0.015 | Pass   | Ochratoxin A     | ND    | 13.37 | 4.41  | 20    | Pass   |
| Coumaphos        | ND   | 0.030 | 0.004 | Pass   | Total Aflatoxins | ND    |       |       | 20    | Pass   |
| Daminozide       | ND   | 0.053 | 0.018 | Pass   |                  |       |       |       |       |        |
| Dichlorvos       | ND   | 0.055 | 0.018 | Pass   |                  |       |       |       |       |        |
| Dimethoate       | ND   | 0.030 | 0.006 | Pass   |                  |       |       |       |       |        |
| Ethoprophos      | ND   | 0.030 | 0.006 | Pass   |                  |       |       |       |       |        |
| Etofenprox       | ND   | 0.030 | 0.004 | Pass   |                  |       |       |       |       |        |
| Fenoxycarb       | ND   | 0.030 | 0.004 | Pass   |                  |       |       |       |       |        |
| Fipronil         | ND   | 0.050 | 0.017 | Pass   |                  |       |       |       |       |        |
| Imazalil         | ND   | 0.030 | 0.009 | Pass   |                  |       |       |       |       |        |
| Methiocarb       | ND   | 0.030 | 0.002 | Pass   |                  |       |       |       |       |        |
| Mevinphos        | ND   | 0.030 | 0.008 | Pass   |                  |       |       |       |       |        |
| Paclobutrazol    | ND   | 0.030 | 0.009 | Pass   |                  |       |       |       |       |        |
| Parathion Methyl | ND   | 0.024 | 0.008 | Pass   |                  |       |       |       |       |        |
| Propoxur         | ND   | 0.030 | 0.008 | Pass   |                  |       |       |       |       |        |
| Spiroxamine      | ND   | 0.030 | 0.006 | Pass   |                  |       |       |       |       |        |
| Thiacloprid      | ND   | 0.030 | 0.005 | Pass   |                  |       |       |       |       |        |

| Category 2          | LOQ  |       |       |      | LOD  | Limit | Status | Category 2              | LOQ  |       |       |      | LOD  | Limit | Status |
|---------------------|------|-------|-------|------|------|-------|--------|-------------------------|------|-------|-------|------|------|-------|--------|
|                     | µg/g | µg/g  | µg/g  | µg/g |      |       |        |                         | µg/g | µg/g  | µg/g  | µg/g |      |       |        |
| Abamectin           | ND   | 0.099 | 0.033 | 0.1  | Pass |       |        | Kresoxim Methyl         | ND   | 0.030 | 0.007 | 0.1  | Pass |       |        |
| Acephate            | ND   | 0.030 | 0.007 | 0.1  | Pass |       |        | Malathion               | ND   | 0.030 | 0.003 | 0.5  | Pass |       |        |
| Acequinocyl         | ND   | 0.046 | 0.015 | 0.1  | Pass |       |        | Metalaxyl               | ND   | 0.030 | 0.005 | 2    | Pass |       |        |
| Acetamiprid         | ND   | 0.030 | 0.005 | 0.1  | Pass |       |        | Methomyl                | ND   | 0.030 | 0.009 | 1    | Pass |       |        |
| Azoxystrobin        | ND   | 0.030 | 0.005 | 0.1  | Pass |       |        | Myclobutanil            | ND   | 0.030 | 0.007 | 0.1  | Pass |       |        |
| Bifenazate          | ND   | 0.030 | 0.007 | 0.1  | Pass |       |        | Naled                   | ND   | 0.030 | 0.008 | 0.1  | Pass |       |        |
| Bifenthrin          | ND   | 0.030 | 0.004 | 3    | Pass |       |        | Oxamyl                  | ND   | 0.030 | 0.007 | 0.5  | Pass |       |        |
| Boscalid            | ND   | 0.030 | 0.008 | 0.1  | Pass |       |        | Pentachloronitrobenzene | ND   | 0.054 | 0.018 | 0.1  | Pass |       |        |
| Captan              | ND   | 0.358 | 0.120 | 0.7  | Pass |       |        | Permethrin              | ND   | 0.030 | 0.002 | 0.5  | Pass |       |        |
| Carbaryl            | ND   | 0.030 | 0.006 | 0.5  | Pass |       |        | Phosmet                 | ND   | 0.030 | 0.005 | 0.1  | Pass |       |        |
| Chlorantraniliprole | ND   | 0.030 | 0.009 | 10   | Pass |       |        | Piperonyl Butoxide      | ND   | 0.030 | 0.003 | 3    | Pass |       |        |
| Clofentezine        | ND   | 0.030 | 0.002 | 0.1  | Pass |       |        | Prallethrin             | ND   | 0.071 | 0.023 | 0.1  | Pass |       |        |
| Cyfluthrin          | ND   | 0.056 | 0.019 | 2    | Pass |       |        | Propiconazole           | ND   | 0.030 | 0.009 | 0.1  | Pass |       |        |
| Cypermethrin        | ND   | 0.181 | 0.060 | 1    | Pass |       |        | Pyrethrins              | ND   | 0.030 | 0.003 | 0.5  | Pass |       |        |
| Diazinon            | ND   | 0.030 | 0.005 | 0.1  | Pass |       |        | Pyridaben               | ND   | 0.030 | 0.002 | 0.1  | Pass |       |        |
| Dimethomorph        | ND   | 0.030 | 0.005 | 2    | Pass |       |        | Spinetoram              | ND   | 0.030 | 0.001 | 0.1  | Pass |       |        |
| Etoazole            | ND   | 0.030 | 0.004 | 0.1  | Pass |       |        | Spinosad                | ND   | 0.030 | 0.001 | 0.1  | Pass |       |        |
| Fenhexamid          | ND   | 0.034 | 0.011 | 0.1  | Pass |       |        | Spiromesifen            | ND   | 0.030 | 0.009 | 0.1  | Pass |       |        |
| Fenpyroximate       | ND   | 0.030 | 0.004 | 0.1  | Pass |       |        | Spirotetramat           | ND   | 0.030 | 0.008 | 0.1  | Pass |       |        |
| Flonicamid          | ND   | 0.035 | 0.012 | 0.1  | Pass |       |        | Tebuconazole            | ND   | 0.030 | 0.006 | 0.1  | Pass |       |        |
| Fludioxonil         | ND   | 0.036 | 0.012 | 0.1  | Pass |       |        | Thiamethoxam            | ND   | 0.030 | 0.008 | 5    | Pass |       |        |
| Hexythiazox         | ND   | 0.030 | 0.001 | 0.1  | Pass |       |        | Trifloxystrobin         | ND   | 0.030 | 0.003 | 0.1  | Pass |       |        |
| Imidacloprid        | ND   | 0.033 | 0.011 | 5    | Pass |       |        |                         |      |       |       |      |      |       |        |

## Other Analyte(s):

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs  
8312 Miramar Mall  
San Diego, CA  
(858) 623-2740  
www.infiniteCAL.com  
Lic# C8-0000047-LIC

*Josh M Swider*

Josh Swider  
Lab Director, Managing Partner  
12/07/2023

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.

## Certificate of Analysis Appendix

### Residual Solvents

| Analyte               |        |         | LOQ (ug/g) | Action Limit(ug/g) | Status |
|-----------------------|--------|---------|------------|--------------------|--------|
| 1,2 Dimethoxyethane   | ND     | 5.9917  | 17.975     | 100                | Pass   |
| 1,4 Dioxane           | ND     | 12.8684 | 38.6052    | 380                | Pass   |
| 1-Butanol             | 10.554 | 3.1446  | 9.4337     | 5,000              | Pass   |
| 1-Pentanol            | ND     | 9.9794  | 29.9383    | 5,000              | Pass   |
| 1-Propanol            | ND     | 6.9987  | 20.9962    | 5,000              | Pass   |
| 2-Butanol             | ND     | 9.5709  | 28.7127    | 5,000              | Pass   |
| 2-Butanone            | ND     | 7.2129  | 21.6386    | 5,000              | Pass   |
| 2-Ethoxyethanol       | ND     | 3.8723  | 11.6169    | 160                | Pass   |
| 2-methylbutane        | ND     | 0.679   | 2.037      | 5,000              | Pass   |
| 2-methylpentane       | ND     | 9.0715  | 27.2145    | 290                | Pass   |
| 3-methylpentane       | ND     | 7.3795  | 22.1384    | 290                | Pass   |
| 2-Propanol (IPA)      | ND     | 11.5286 | 34.5857    | 5,000              | Pass   |
| Acetone               | ND     | 8.2267  | 24.6802    | 5,000              | Pass   |
| Acetonitrile          | ND     | 8.3746  | 25.1238    | 410                | Pass   |
| Benzene               | ND     | 0.3588  | 1.0763     | 2                  | Pass   |
| Butane                | ND     | 9.552   | 28.6559    | 5,000              | Pass   |
| Cumene                | ND     | 8.32    | 24.96      | 70                 | Pass   |
| Cyclohexane           | ND     | 8.4235  | 25.2705    | 3,880              | Pass   |
| Dichloromethane       | ND     | 3.9511  | 11.8533    | 600                | Pass   |
| 2,2-dimethylbutane    | ND     | 0.8804  | 2.6412     | 290                | Pass   |
| 2,3-dimethylbutane    | ND     | 0.9493  | 2.8479     | 290                | Pass   |
| Dimethyl sulfoxide    | ND     | 8.3992  | 25.1976    | 5,000              | Pass   |
| Ethanol               | ND     | 4.8156  | 14.4469    | 5,000              | Pass   |
| Ethyl acetate         | ND     | 14.2542 | 42.7625    | 5,000              | Pass   |
| Ethyl ether           | ND     | 6.8124  | 20.4372    | 5,000              | Pass   |
| Ethylene glycol       | ND     | 3.4447  | 10.334     | 620                | Pass   |
| Ethylene Oxide        | ND     | 6.5244  | 19.5733    | 50                 | Pass   |
| Heptane               | ND     | 0.4144  | 1.2431     | 5,000              | Pass   |
| Hexane                | ND     | 0.5026  | 1.5078     | 290                | Pass   |
| Isobutane             | ND     | 10.2495 | 30.7486    | 5,000              | Pass   |
| Isopropyl acetate     | ND     | 4.1274  | 12.3823    | 5,000              | Pass   |
| Methanol              | ND     | 18.42   | 55.26      | 3,000              | Pass   |
| N,N-dimethylacetamide | ND     | 268.955 | 806.8649   | 1,090              | Pass   |
| N,N-dimethylformamide | ND     | 2.7382  | 8.2147     | 880                | Pass   |
| Pentane               | ND     | 0.8382  | 2.5146     | 5,000              | Pass   |
| Propane               | ND     | 7.9467  | 23.8402    | 5,000              | Pass   |
| Pyridine              | ND     | 19.55   | 58.64      | 100                | Pass   |
| Sulfolane             | ND     | 22.886  | 68.6581    | 160                | Pass   |
| Tetrahydrofuran       | ND     | 6.2156  | 18.6469    | 720                | Pass   |
| Toluene               | ND     | 0.4061  | 1.2184     | 890                | Pass   |
| Total Xylenes         | ND     | 10.3738 | 31.1216    | 2,170              | Pass   |

*Josh M Swider*

Josh Swider  
Lab Director, CEO

CBN Distillate  
12/5/2023

## Certificate of Analysis



|             |                |                        |                                          |
|-------------|----------------|------------------------|------------------------------------------|
| Sample Name | CBN Distillate | ICAL ID                |                                          |
| Batch       |                | Registering Laboratory | San Diego                                |
| Client      |                | Contact                | Customer Service Team                    |
| Address     |                | Address                | 8312 Miramar Mall<br>San Diego, CA 92121 |
| Telephone   |                | Telephone              | (858) 623-2740                           |
| Email       |                | Email                  | questions@infinitecal.com                |
| Sampler     |                | COA Issue Date         | December 08, 2023                        |

This report supersedes any previous revision with this reference. This document must not be reproduced, except in full. If samples were provided by the customer, results apply only to the samples 'as received' and responsibility for representative sampling rests with the customer. Water results are reported on an 'as is' basis. Infinite Chemical Analysis Labs, LLC makes no claims pertaining to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein.

### Definitions

| <: Less Than | >: Greater Than | RP: Result Pending | MPN: Most Probable Number | CFU: Colony Forming Units | ---: Not Requested | NA: Not Applicable | ND: Not Detected | MDL: Method Detection Limit | LCMRL: Lowest Concentration Minimum Reporting Level | NT: Not Tested | ~: Estimated | TBA: To Be Advised | TNTC: Too numerous to count

### Microbial Plate Panel

| Analyte                   | CFU/g | MDL | Client Limit <sup>1</sup> | Status <sup>2</sup> |
|---------------------------|-------|-----|---------------------------|---------------------|
| Aerobic (APC)             | <MDL  | 10  | 10,000                    | PASS                |
| Coliforms                 | NT    | 10  | ---                       |                     |
| <i>E. coli</i>            | NT    | 10  | ---                       |                     |
| Yeast & Mold              | NT    | 10  | ---                       |                     |
| <i>Enterobacteriaceae</i> | NT    | 10  | ---                       |                     |
| <i>Salmonella spp.</i>    | NT    | 10  | ---                       |                     |
| <i>Listeria spp.</i>      | NT    | 10  | ---                       |                     |

### Analysis Location

All analyses were completed by Infinite Chemical Analysis – San Diego.

### Analysis Comments

Method ID: MICRO-PLATE-001

<sup>1</sup>Client limit is self-selected and will be replaced by official CA state limits when they become available.

<sup>2</sup>Status of Pass/Fail based on client limit selected.

*Josh M Swider*

Josh Swider  
Lab Director, CEO  
December 08, 2023