

June 12, 2024



Order No. _____
Sample No. _____

SAMPLE INFORMATION

Description
Category
Received

Non-Inhalable Concentrate
June 10, 2024

ANALYTICAL RESULTS

Analysis
Instrument
Method
Analysis Date

Cannabinoid Profile (Non-Plant)
Liquid Chromatography Diode Array Detector (LC-DAD)
MF-CHEM-15
June 10, 2024 to June 12, 2024

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	ND	ND
CBDA	ND	ND
CBC	ND	ND
CBCA	ND	ND
CBDV	ND	ND
CBG	ND	ND
CBGA	ND	ND
CBN	999.00	99.9
Total THC	ND	ND
Total CBD	ND	ND
Total Cannabinoids	999.00	99.9
Sum of Cannabinoids	999.00	99.9

Reported by
Anresco, Inc.

ND = None Detected
LOD = Limit of Detection (0.3333 mg/g)
LOQ = Limit of Quantitation (1.0000 mg/g)
Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]


Ali Sweeney
Analyst II
June 12, 2024



If there are any questions with this report, please contact "compliance@anresco.com".

June 13, 2024



Order No. _____
Sample No. _____

SAMPLE INFORMATION

Description
Category
Received

Non-Inhalable Concentrate
June 10, 2024

ANALYTICAL RESULTS

Analysis
Instrument
Method
Analysis Date

Residual Solvent Screen ✔ Pass
Gas Chromatography Mass Spectrometry (GC/MS)
MF-CHEM-32
June 10, 2024 to June 13, 2024

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Reported by
Anresco, Inc.

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation


Jordean Vargas
Analyst III



June 13, 2024

If there are any questions with this report, please contact "compliance@anresco.com".

June 13, 2024



Order No. _____
Sample No. _____

SAMPLE INFORMATION

Description
Category
Received

Non-Inhalable Concentrate
June 10, 2024

ANALYTICAL RESULTS

Analysis

Heavy Metals ✔ Pass

Instrument

Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Method

MF-CHEM-16

Analysis Date

June 10, 2024 to June 13, 2024

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.125	<LOQ	0.5	Pass

Reported by
Anresco, Inc.

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation



Eric Tam
Senior Chemist

June 13, 2024

If there are any questions with this report, please contact "compliance@anresco.com".

June 13, 2024



BULK CBD
DISTRIBUTORS

Order No. _____
Sample No. _____

SAMPLE INFORMATION

Description
Received

June 10, 2024

ANALYTICAL RESULTS

Analysis Date

June 10, 2024 to June 13, 2024

Findings

Analysis

Results

Method

Salmonella

Negative/1g

AOAC 2016.01

STEC

Negative/1g

3M MDS STEC

Reported by
Anresco, Inc.



Allen Zhu
Analyst

If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 1

Anresco Laboratories www.anresco.com
1375 Van Dyke Ave., San Francisco, CA 94124

Tel: 415 822 1100
Fax: 415 822 6615
Report ID: S-1

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure

REPRESENTATIVE COA | Wholesale CBN Isolate COA 06-12-2024 | bulkcbddistributors.com/product/cbn-isolate/

August 08, 2024



Order No. _____
Sample No. _____

SAMPLE INFORMATION

Description
Received

August 06, 2024

ANALYTICAL RESULTS

Analysis Pesticide Screen Plus ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date August 06, 2024 to August 08, 2024

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.017/0.05	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass
Acetochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Alachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb Sulfone	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb sulfoxide*	0.04-0.20 / 0.1-0.5	ND	-	-
Aldrin*	0.04-0.20 / 0.1-0.5	ND	-	-
Atrazine	0.04-0.20 / 0.1-0.5	ND	-	-
Benfluralin	0.04-0.20 / 0.1-0.5	ND	-	-
BHC alpha	0.04-0.20 / 0.1-0.5	ND	-	-
BHC beta	0.04-0.20 / 0.1-0.5	ND	-	-
Bitertanol	0.04-0.20 / 0.1-0.5	ND	-	-
Buprofezin	0.04-0.20 / 0.1-0.5	ND	-	-
Carbendazim (MBC)	0.04-0.20 / 0.1-0.5	ND	-	-
Carfentrazone ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlormequat Chloride	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorobenzilate	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Chlorotoluron	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpropham	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpyrifos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorthiophos	0.04-0.20 / 0.1-0.5	ND	-	-
Clethodim	0.04-0.20 / 0.1-0.5	ND	-	-
Clomazone	0.04-0.20 / 0.1-0.5	ND	-	-
Clothianidin	0.04-0.20 / 0.1-0.5	ND	-	-
Cyazofamid*	0.04-0.20 / 0.1-0.5	ND	-	-
Cymoxanil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyprodinil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyromazine	0.04-0.20 / 0.1-0.5	ND	-	-
DCPA (Dacthal)	0.04-0.20 / 0.1-0.5	ND	-	-
Diallate	0.04-0.20 / 0.1-0.5	ND	-	-
Dieldrin	0.04-0.20 / 0.1-0.5	ND	-	-
Diflubenzuron	0.04-0.20 / 0.1-0.5	ND	-	-
Dimethachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Diniconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Dinotefuran	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenamid	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenylamine (DPA)	0.04-0.20 / 0.1-0.5	ND	-	-
Diuron	0.04-0.20 / 0.1-0.5	ND	-	-
Esfenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Ethalfuralin	0.04-0.20 / 0.1-0.5	ND	-	-
Ethylan	0.04-0.20 / 0.1-0.5	ND	-	-
Etridiazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Fenarimol	0.04-0.20 / 0.1-0.5	ND	-	-
Fenbuconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Fenpropimorph	0.04-0.20 / 0.1-0.5	ND	-	-
Fenthion	0.04-0.20 / 0.1-0.5	ND	-	-
Fenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluazifop-P-butyl	0.04-0.20 / 0.1-0.5	ND	-	-
Flubendiamide	0.04-0.20 / 0.1-0.5	ND	-	-
Fluchloralin	0.04-0.20 / 0.1-0.5	ND	-	-
Flucythrinate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluopyram	0.04-0.20 / 0.1-0.5	ND	-	-
Fluoxastrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Flusilazole	0.04-0.20 / 0.1-0.5	ND	-	-
Flutolanil	0.04-0.20 / 0.1-0.5	ND	-	-
Flutriafol	0.04-0.20 / 0.1-0.5	ND	-	-
Fonofos*	0.04-0.20 / 0.1-0.5	ND	-	-
Formetanate Hydrochloride	0.04-0.20 / 0.1-0.5	ND	-	-
Heptachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Hexachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Hexaconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Hexazinone	0.04-0.20 / 0.1-0.5	ND	-	-
3-Hydroxycarbofuran	0.04-0.20 / 0.1-0.5	ND	-	-
Indoxacarb*	0.04-0.20 / 0.1-0.5	ND	-	-
Isazophos	0.04-0.20 / 0.1-0.5	ND	-	-
Isoprocab	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Isopropalin	0.04-0.20 / 0.1-0.5	ND	-	-
Isoproturon	0.04-0.20 / 0.1-0.5	ND	-	-
Lindane	0.04-0.20 / 0.1-0.5	ND	-	-
Linuron*	0.04-0.20 / 0.1-0.5	ND	-	-
Mandipropamid	0.04-0.20 / 0.1-0.5	ND	-	-
Methamidophos	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxychlor*	0.04-0.20 / 0.1-0.5	ND	-	-
4-4'-Methoxychlor olefin	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxyfenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Metolachlor	0.04-0.20 / 0.1-0.5	ND	-	-
MGK 264*	0.04-0.20 / 0.1-0.5	ND	-	-
Mirex*	0.04-0.20 / 0.1-0.5	ND	-	-
Novaluron	0.04-0.20 / 0.1-0.5	ND	-	-
Thiabendazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Omethoate*	0.04-0.20 / 0.1-0.5	ND	-	-
Oxadiazon	0.04-0.20 / 0.1-0.5	ND	-	-
Oxyfluorfen	0.04-0.20 / 0.1-0.5	ND	-	-
Parathion	0.04-0.20 / 0.1-0.5	ND	-	-
Pebulate*	0.04-0.20 / 0.1-0.5	ND	-	-
Penconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Pendimethalin	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroanisole	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzonitrile	0.04-0.20 / 0.1-0.5	ND	-	-
2-Phenylphenol	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimicarb	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos-ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pretilachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Prochloraz*	0.04-0.20 / 0.1-0.5	ND	-	-
Procymidone	0.04-0.20 / 0.1-0.5	ND	-	-
Propamocarb	0.04-0.20 / 0.1-0.5	ND	-	-
Propargite	0.04-0.20 / 0.1-0.5	ND	-	-
Propisochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Propyzamide	0.04-0.20 / 0.1-0.5	ND	-	-
Prothiofos	0.04-0.20 / 0.1-0.5	ND	-	-
Pymetrozine	0.04-0.20 / 0.1-0.5	ND	-	-
Pyraclostrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Pyrimethanil	0.04-0.20 / 0.1-0.5	ND	-	-
Pyriproxyfen	0.04-0.20 / 0.1-0.5	ND	-	-
Quinalphos	0.04-0.20 / 0.1-0.5	ND	-	-
Quintozene	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfentrazone	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfotep	0.04-0.20 / 0.1-0.5	ND	-	-
Tau-Fluvalinate	0.04-0.20 / 0.1-0.5	ND	-	-
Tebufozide	0.04-0.20 / 0.1-0.5	ND	-	-
Tecnazene	0.04-0.20 / 0.1-0.5	ND	-	-
Tefluthrin	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Terbutylazine	0.04-0.20 / 0.1-0.5	ND	-	-
Tetrachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Tetradifon	0.04-0.20 / 0.1-0.5	ND	-	-
Thiobencarb	0.04-0.20 / 0.1-0.5	ND	-	-
Tolclofos-methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Transfluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Triadimefon	0.04-0.20 / 0.1-0.5	ND	-	-
Triallate	0.04-0.20 / 0.1-0.5	ND	-	-
Trichlorfon	0.04-0.20 / 0.1-0.5	ND	-	-
Tricyclazole	0.04-0.20 / 0.1-0.5	ND	-	-
Triflumizole	0.04-0.20 / 0.1-0.5	ND	-	-
Trifluralin	0.04-0.20 / 0.1-0.5	ND	-	-
Vamidothion	0.04-0.20 / 0.1-0.5	ND	-	-
Vinclozolin	0.04-0.20 / 0.1-0.5	ND	-	-

Reported by
Anresco, Inc.

Le Khoa
Khoa Nguyen
Analyst I



August 08, 2024

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

If there are any questions with this report, please contact "compliance@anresco.com".