

August 08, 2024

Order No. _____
Sample No. _____

SAMPLE INFORMATION

Description
Received August 06, 2024

ANALYTICAL RESULTS

Analysis Pesticide Screen Plus ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date August 06, 2024 to August 08, 2024

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.017/0.05	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass
Acetochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Alachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb Sulfone	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb sulfoxide*	0.04-0.20 / 0.1-0.5	ND	-	-
Aldrin*	0.04-0.20 / 0.1-0.5	ND	-	-
Atrazine	0.04-0.20 / 0.1-0.5	ND	-	-
Benfluralin	0.04-0.20 / 0.1-0.5	ND	-	-
BHC alpha	0.04-0.20 / 0.1-0.5	ND	-	-
BHC beta	0.04-0.20 / 0.1-0.5	ND	-	-
Bitertanol	0.04-0.20 / 0.1-0.5	ND	-	-
Buprofezin	0.04-0.20 / 0.1-0.5	ND	-	-
Carbendazim (MBC)	0.04-0.20 / 0.1-0.5	ND	-	-
Carfentrazone ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlormequat Chloride	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorobenzilate	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Chlorotoluron	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpropham	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpyrifos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorthiophos	0.04-0.20 / 0.1-0.5	ND	-	-
Clethodim	0.04-0.20 / 0.1-0.5	ND	-	-
Clomazone	0.04-0.20 / 0.1-0.5	ND	-	-
Clothianidin	0.04-0.20 / 0.1-0.5	ND	-	-
Cyazofamid*	0.04-0.20 / 0.1-0.5	ND	-	-
Cymoxanil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyprodinil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyromazine	0.04-0.20 / 0.1-0.5	ND	-	-
DCPA (Dacthal)	0.04-0.20 / 0.1-0.5	ND	-	-
Diallate	0.04-0.20 / 0.1-0.5	ND	-	-
Dieldrin	0.04-0.20 / 0.1-0.5	ND	-	-
Diflubenzuron	0.04-0.20 / 0.1-0.5	ND	-	-
Dimethachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Diniconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Dinotefuran	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenamid	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenylamine (DPA)	0.04-0.20 / 0.1-0.5	ND	-	-
Diuron	0.04-0.20 / 0.1-0.5	ND	-	-
Esfenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Ethalfuralin	0.04-0.20 / 0.1-0.5	ND	-	-
Ethylan	0.04-0.20 / 0.1-0.5	ND	-	-
Etridiazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Fenarimol	0.04-0.20 / 0.1-0.5	ND	-	-
Fenbuconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Fenpropimorph	0.04-0.20 / 0.1-0.5	ND	-	-
Fenthion	0.04-0.20 / 0.1-0.5	ND	-	-
Fenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluazifop-P-butyl	0.04-0.20 / 0.1-0.5	ND	-	-
Flubendiamide	0.04-0.20 / 0.1-0.5	ND	-	-
Fluchloralin	0.04-0.20 / 0.1-0.5	ND	-	-
Flucythrinate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluopyram	0.04-0.20 / 0.1-0.5	ND	-	-
Fluoxastrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Flusilazole	0.04-0.20 / 0.1-0.5	ND	-	-
Flutolanil	0.04-0.20 / 0.1-0.5	ND	-	-
Flutriafol	0.04-0.20 / 0.1-0.5	ND	-	-
Fonofos*	0.04-0.20 / 0.1-0.5	ND	-	-
Formetanate Hydrochloride	0.04-0.20 / 0.1-0.5	ND	-	-
Heptachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Hexachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Hexaconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Hexazinone	0.04-0.20 / 0.1-0.5	ND	-	-
3-Hydroxycarbofuran	0.04-0.20 / 0.1-0.5	ND	-	-
Indoxacarb*	0.04-0.20 / 0.1-0.5	ND	-	-
Isazophos	0.04-0.20 / 0.1-0.5	ND	-	-
Isoprocab	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Isopropalin	0.04-0.20 / 0.1-0.5	ND	-	-
Isoproturon	0.04-0.20 / 0.1-0.5	ND	-	-
Lindane	0.04-0.20 / 0.1-0.5	ND	-	-
Linuron*	0.04-0.20 / 0.1-0.5	ND	-	-
Mandipropamid	0.04-0.20 / 0.1-0.5	ND	-	-
Methamidophos	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxychlor*	0.04-0.20 / 0.1-0.5	ND	-	-
4-4'-Methoxychlor olefin	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxyfenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Metolachlor	0.04-0.20 / 0.1-0.5	ND	-	-
MGK 264*	0.04-0.20 / 0.1-0.5	ND	-	-
Mirex*	0.04-0.20 / 0.1-0.5	ND	-	-
Novaluron	0.04-0.20 / 0.1-0.5	ND	-	-
Thiabendazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Omethoate*	0.04-0.20 / 0.1-0.5	ND	-	-
Oxadiazon	0.04-0.20 / 0.1-0.5	ND	-	-
Oxyfluorfen	0.04-0.20 / 0.1-0.5	ND	-	-
Parathion	0.04-0.20 / 0.1-0.5	ND	-	-
Pebulate*	0.04-0.20 / 0.1-0.5	ND	-	-
Penconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Pendimethalin	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroanisole	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzonitrile	0.04-0.20 / 0.1-0.5	ND	-	-
2-Phenylphenol	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimicarb	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos-ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pretilachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Prochloraz*	0.04-0.20 / 0.1-0.5	ND	-	-
Procymidone	0.04-0.20 / 0.1-0.5	ND	-	-
Propamocarb	0.04-0.20 / 0.1-0.5	ND	-	-
Propargite	0.04-0.20 / 0.1-0.5	ND	-	-
Propisochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Propyzamide	0.04-0.20 / 0.1-0.5	ND	-	-
Prothiofos	0.04-0.20 / 0.1-0.5	ND	-	-
Pymetrozine	0.04-0.20 / 0.1-0.5	ND	-	-
Pyraclostrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Pyrimethanil	0.04-0.20 / 0.1-0.5	ND	-	-
Pyriproxyfen	0.04-0.20 / 0.1-0.5	ND	-	-
Quinalphos	0.04-0.20 / 0.1-0.5	ND	-	-
Quintozene	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfentrazone	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfotep	0.04-0.20 / 0.1-0.5	ND	-	-
Tau-Fluvalinate	0.04-0.20 / 0.1-0.5	ND	-	-
Tebufenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Tecnazene	0.04-0.20 / 0.1-0.5	ND	-	-
Tefluthrin	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Terbutylazine	0.04-0.20 / 0.1-0.5	ND	-	-
Tetrachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Tetradifon	0.04-0.20 / 0.1-0.5	ND	-	-
Thiobencarb	0.04-0.20 / 0.1-0.5	ND	-	-
Tolclofos-methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Transfluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Triadimefon	0.04-0.20 / 0.1-0.5	ND	-	-
Triallate	0.04-0.20 / 0.1-0.5	ND	-	-
Trichlorfon	0.04-0.20 / 0.1-0.5	ND	-	-
Tricyclazole	0.04-0.20 / 0.1-0.5	ND	-	-
Triflumizole	0.04-0.20 / 0.1-0.5	ND	-	-
Trifluralin	0.04-0.20 / 0.1-0.5	ND	-	-
Vamidothion	0.04-0.20 / 0.1-0.5	ND	-	-
Vinclozolin	0.04-0.20 / 0.1-0.5	ND	-	-

Reported by
Anresco, Inc.


Khoa Nguyen
Analyst I



August 08, 2024

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

If there are any questions with this report, please contact "compliance@anresco.com".