



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

Delta 10 Distillate

Matrix: Concentrates & Extracts
Type: Distillate
Sample Size:

Received: 01/23/2026
Completed: 01/27/2026
Expires: 01/27/2027



Summary

Test	Date Tested	Result
Cannabinoids	01/27/2026	Complete

Cannabinoids

Complete

1.131%

Total THC

1.131%

Δ 9-THC

ND

Total CBD

87.501%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	
	%	%	%	mg/g	
(6aR,9R)-d10-THC	0.1010	0.152	16.146	161.46465	
9R-HHC	0.1010	0.152	ND	ND	
(6aR,9S)-d10-THC	0.1010	0.152	66.768	667.67677	
9S-HHC	0.1010	0.152	ND	ND	
CBC	0.1010	0.152	ND	ND	
CBCa	0.1010	0.152	ND	ND	
CBD	0.1010	0.152	ND	ND	
CBDa	0.1010	0.152	ND	ND	
CBDV	0.1010	0.152	ND	ND	
CBDVa	0.1010	0.152	ND	ND	
CBG	0.1010	0.152	ND	ND	
CBGa	0.1010	0.152	ND	ND	
CBN	0.1010	0.152	1.314	13.13952	
CBNa	0.1010	0.152	ND	ND	
Δ 8-THC	0.1010	0.152	2.142	21.41883	
Δ 9-THC	0.1010	0.152	1.131	11.31234	
THCa	0.1010	0.152	ND	ND	
THCp	0.1010	0.152	ND	ND	
THCV	0.1010	0.152	ND	ND	
THCVa	0.1010	0.152	ND	ND	
Total THC			1.131	11.31234	
Total CBD			ND	ND	
Total			87.501	875.01210	

Date Tested: 01/27/2026

Testing Method: HPLC, CON-P-3000

Total THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: $\pm$ 0.040%, Total CBD Measurement of Uncertainty: $\pm$ 2.000%

Ashley N Phillips

Ashley Phillips
Laboratory Director
01/27/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000