

Sample ID:
 Batch:
 Type: In-Process Material
 Matrix: Concentrate - Distillate
 Unit Mass (g):

 Received: 08/20/2025
 Completed: 08/21/2025

Client


Summary

 Test
 Cannabinoids

 Date Tested
 08/21/2025

 Status
 Tested

ND Total Δ9-THC	66.0 % (6aR,9R,10aR)-HHC	90.4 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
---------------------------	------------------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

Cannabinoids by GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBN	0.0056	0.0169	0.565	5.65
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	1.48	14.8
Δ6a,10a-THC	0.0067	0.02	2.27	22.7
Δ8-iso-THC	0.0067	0.02	0.123	1.23
Δ8-THC	0.0104	0.0312	0.782	7.82
Δ8-THCV	0.0067	0.02	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
(6aR,9R)-Δ10-THC	0.0067	0.02	ND	ND
(6aR,9S)-Δ10-THC	0.0067	0.02	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	66.0	660
(6aR,9S,10aR)-HHC	0.0067	0.02	19.1	191
Total Δ9-THC			ND	ND
Total			90.4	904

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



 Generated By: Ryan Bellone
 Commercial Director
 Date: 08/21/2025



 Tested By: Kelsey Rogers
 Scientist
 Date: 08/21/2025

 ISO/IEC 17025:2017 Accredited
 Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories and its affiliates do not warrant the accuracy of the results of tests performed on samples that are not quality control samples. This Certificate of Analysis is valid only for the sample tested.