Metis QA Laboratory
Metis QA Laboratory
10120 Broadway Extension
Oklahoma City, OK 73114
(405) 605-0952
https://www.metisqalab.com/

Smokiez Sweet Watermelon 250mg CBD Fruit Chews

Strain: Watermelon
Matrix: Ingestible
Type: Soft Chew

Amended Notes:

Produced:
Collection Date/Time: 05/27/2026 05:43

Completed: 05/29/2026

Client
Shico LLC

8100 N Classen Blvd Ste 101
Oklahoma City, OK 73114

ND	27.95 mg/unit	28.14 mg/unit
Total THC	Total CBD	Total Cannabinoids

Summary

Batch	Pass
Cannabinoids	Complete
Terpenes	Complete
Residual Solvents	Pass
Microbials	Pass
Mycotoxins	Pass
Pesticides	Pass
Heavy Metals	Pass
Foreign Matter	Pass

Cannabinoids

Complete

Analyte	LOQ	Result	Result
	mg/unit	mg/unit	mg/g
CBD	0.18	27.95	4.57
CBG	0.18	0.19	0.03
CBC	0.18	<LOQ	<LOQ
CBCa	0.18	<LOQ	<LOQ
CBDa	0.18	<LOQ	<LOQ
CBDV	0.18	<LOQ	<LOQ
CBDVa	0.18	<LOQ	<LOQ

Analyte	LOQ	Result	Result
	mg/unit	mg/unit	mg/g
CBGa	0.18	<LOQ	<LOQ
CBN	0.18	<LOQ	<LOQ
Δ8-THC	0.18	<LOQ	<LOQ
Δ9-THC	0.18	<LOQ	<LOQ
THCa	0.18	<LOQ	<LOQ
THCV	0.18	<LOQ	<LOQ
THCVa	0.18	<LOQ	<LOQ
Total		**28.14**	**4.60**

1 Unit = 6.11g
Date Tested: 05/22/2026
Total THC = THCa * 0.877 + d9-THC. Total CBD = CBDa * 0.877 + CBD. The reported results are based on a sample weight with the applicable moisture content for that sample.

Analysis Performed on Liquid Chromatography -Tandem Mass Spectrometry

Terpenes

Complete

Analyte	LOQ	Result	Result
	mg/g	mg/g	%
3-Carene	0.09	<LOQ	<LOQ
α-Bisabolol	0.09	<LOQ	<LOQ
α-Cedrene	0.07	<LOQ	<LOQ
α-Humulene	0.09	<LOQ	<LOQ
α-Phellandrene	0.09	<LOQ	<LOQ
α-Pinene	0.09	<LOQ	<LOQ
α-Terpinene	0.09	<LOQ	<LOQ
α-Terpineol	0.09	<LOQ	<LOQ
β-Caryophyllene	0.09	<LOQ	<LOQ
trans-β-Farnesene	0.09	<LOQ	<LOQ
β-Myrcene	0.09	<LOQ	<LOQ
β-Pinene	0.09	<LOQ	<LOQ
Borneol	0.09	<LOQ	<LOQ
Camphene	0.09	<LOQ	<LOQ
Camphor	0.09	<LOQ	<LOQ
Carvacrol	0.09	<LOQ	<LOQ
Carvone	0.09	<LOQ	<LOQ
Caryophyllene Oxide	0.09	<LOQ	<LOQ
Cedrol	0.09	<LOQ	<LOQ
cis-Citral	0.03	<LOQ	<LOQ

Analyte	LOQ	Result	Result
	mg/g	mg/g	%
Citronellol	0.09	<LOQ	<LOQ
Eucalyptol	0.09	<LOQ	<LOQ
Farnesol	0.09	NR	NR
Fenchol	0.09	<LOQ	<LOQ
Fenchone	0.09	<LOQ	<LOQ
γ-Terpinene	0.09	<LOQ	<LOQ
Geraniol	0.09	<LOQ	<LOQ
Geranyl Acetate	0.09	<LOQ	<LOQ
Guaiol	0.09	<LOQ	<LOQ
Isoborneol	0.09	<LOQ	<LOQ
Isobornyl Acetate	0.09	<LOQ	<LOQ
D-Limonene	0.09	<LOQ	<LOQ
Linalool	0.09	<LOQ	<LOQ
m-Cymene	0.09	<LOQ	<LOQ
Menthol	0.09	<LOQ	<LOQ
Menthone	0.09	<LOQ	<LOQ
Nerol	0.09	<LOQ	<LOQ
Nootkatone	0.09	<LOQ	<LOQ
o-Cymene	0.09	<LOQ	<LOQ
Ocimene	0.09	<LOQ	<LOQ

Analyte	LOQ	Result	Result
	mg/g	mg/g	%
Octyl Acetate	0.09	<LOQ	<LOQ
(-)-Isopulegol	0.09	<LOQ	<LOQ
(-)-Verbenone	0.09	<LOQ	<LOQ
Phytane	0.09	<LOQ	<LOQ
Phytol	0.18	<LOQ	<LOQ
Piperitone	0.09	<LOQ	<LOQ
Pulegone	0.09	<LOQ	<LOQ
p-Cymene	0.09	<LOQ	<LOQ
Sabinene	0.09	<LOQ	<LOQ
Sabinene Hydrate	0.09	<LOQ	<LOQ
Safranal	0.09	<LOQ	<LOQ
Squalene	0.09	<LOQ	<LOQ
Terpinen-4-ol	0.09	<LOQ	<LOQ
α-Terpinolene	0.09	<LOQ	<LOQ
Thujone	0.09	<LOQ	<LOQ
Thymol	0.09	<LOQ	<LOQ
trans-Citral	0.06	<LOQ	<LOQ
Valencene	0.09	<LOQ	<LOQ
Nerolidol		<LOQ	<LOQ
Total		**0.00**	**0.000**

Date Tested: 05/22/2026
Analysis Performed on Gas Chromatrography-Mass Spectrometry

Shauntina Battiste
Laboratory Director
05/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

NR = Not reported; ND = Not detected; LOQ = Limit of Quantitation; ULOQ= Upper Limit of Quantitation; CFU/g = Colony forming units per 1 gram; ppm = parts per million, ppb = parts per billion, mg/g = milligrams per gram. This product has been tested by Demeter OK Laboratory LLC d/b/a METIS in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. METIS makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of METIS. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Measurement Uncertainty (MU) is not used when making statements of conformity. For Cannabinoid analysis by LC-MS/MS, MU equals ± [0.0706 * (Reported Value)]. All other MU is available upon request. METIS is ISO 17025:2017 accredited by A2LA, certificate numbers 5306.01 and 5306.04

Metis QA Laboratory
Metis QA Laboratory
10120 Broadway Extension
Oklahoma City, OK 73114
(405) 605-0952
https://www.metisqalab.com/

Smokiez Sweet Watermelon 250mg CBD Fruit Chews

Strain: Watermelon
Matrix: Ingestible
Type: Soft Chew

Amended Notes:

Produced:
Collection Date/Time: 05/27/2026 05:43

Completed: 05/29/2026

Client
Shico LLC

8100 N Classen Blvd Ste 101
Oklahoma City, OK 73114

Pesticides — Pass

Analyte	LOQ	ULOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.050	1.000	0.500	<LOQ	Pass
Azoxystrobin	0.050	1.000	0.200	<LOQ	Pass
Bifenazate	0.050	1.000	0.200	<LOQ	Pass
Etoxazole	0.050	1.000	0.200	<LOQ	Pass
Imazalil	0.050	1.000	0.200	<LOQ	Pass
Imidacloprid	0.050	1.000	0.400	<LOQ	Pass
Malathion	0.050	1.000	0.200	<LOQ	Pass
Myclobutanil	0.050	1.000	0.200	<LOQ	Pass
Permethrins	0.050	1.000	0.200	<LOQ	Pass
Spinosad	0.050	1.000	0.200	<LOQ	Pass
Spiromesifen	0.050	1.000	0.200	<LOQ	Pass
Spirotetramat	0.050	1.000	0.200	<LOQ	Pass
Tebuconazole	0.050	1.000	0.400	<LOQ	Pass

Date Tested: 05/22/2026
Analysis Performed on Liquid Chromatography -Tandem Mass Spectrometry

Mycotoxins — Pass

Analyte	LOQ	ULOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxins	5.00		20.00	<LOQ	Pass
B1	5.00	100.00	20.00	<LOQ	Pass
B2	5.00	100.00	20.00	<LOQ	Pass
G1	5.00	100.00	20.00	<LOQ	Pass
G2	5.00	100.00	20.00	<LOQ	Pass
Ochratoxin A	5.00	100.00	20.00	<LOQ	Pass

Date Tested: 05/22/2026
Analysis performed on Liquid Chromatography-Tandem Mass Spectrometry

Heavy Metals — Pass

Analyte	LOQ	ULOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.050	5.000	0.200	<LOQ	Pass
Cadmium	0.050	5.000	0.200	<LOQ	Pass
Lead	0.125	12.500	0.500	<LOQ	Pass
Mercury	0.025	2.500	0.100	<LOQ	Pass

Date Tested: 05/22/2026
Analysis performed on Inductively Coupled Plasma-Mass Spectrometry

Microbials — Pass

Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus		ND	Pass
Aspergillus fumigatus		ND	Pass
Aspergillus niger		ND	Pass
Aspergillus terreus		ND	Pass
Salmonella		ND	Pass
Shiga Toxin E. Coli		ND	Pass
Yeast & Mold	10000	ND	Pass

Date Tested: 05/22/2026
Analysis performed with Petrifilm (Total Yeast & Mold) and Polymerase Chain Reaction (All others)

Residual Solvents — Pass

Analyte	LOQ	ULOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	62.50	2000.00	1000.00	<LOQ	Pass
Benzene	0.13	4.00	2.00	<LOQ	Pass
Butane	19.50	1250.00	1000.00	<LOQ	Pass
Ethanol	313.00	10000.00	5000.00	<LOQ	Pass
Ethyl-Acetate	62.50	2000.00	1000.00	<LOQ	Pass
Heptane	62.50	2000.00	1000.00	<LOQ	Pass
Isopropanol	62.50	2000.00	1000.00	<LOQ	Pass
Methanol	37.50	1200.00	600.00	<LOQ	Pass
Hexane	3.75	120.00	60.00	<LOQ	Pass
Pentane	62.50	2000.00	1000.00	<LOQ	Pass
Propane	19.50	1250.00	1000.00	<LOQ	Pass
Toluene	11.30	360.00	180.00	<LOQ	Pass
Xylenes	26.90	860.00	430.00	<LOQ	Pass

Date Tested: 05/22/2026
Analysis performed on Headspace-Gas Chromatography-Mass Spectrometry

Foreign Matter	Moisture	Water Activity
Pass	**Not Tested**	**Not Tested**
0 %	NT	NT
(Limit: > 2%)	*(Limit: > %)*	*(Limit: > aw)*
Instrument: Optical		

Shauntina Battiste
Laboratory Director
05/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

NR = Not reported; ND = Not detected; LOQ = Limit of Quantitation; ULOQ= Upper Limit of Quantitation; CFU/g = Colony forming units per 1 gram; ppm = parts per million, ppb = parts per billion, mg/g = milligrams per gram. This product has been tested by Demeter OK Laboratory LLC d/b/a METIS in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. METIS makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of METIS. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Measurement Uncertainty (MU) is not used when making statements of conformity. For Cannabinoid analysis by LC-MS/MS, MU equals ± [0.0706 * (Reported Value)]. All other MU is available upon request. METIS is ISO 17025:2017 accredited by A2LA, certificate numbers 5306.01 and 5306.04